

(Sri H. K. VEERANNA GOWDE)

(c) About 5½ months.

(d) The estimate is under scrutiny and certain discrepancies are being corrected. After these are attended to, the estimate will be sanctioned.

### SUPPLY OF ELECTRICITY TO STREET LIGHTS AT UDIGALA IN CHAMARAJANAGAR TALUK.

Q.—85. Sri U. M. MADAPPA (Chamarajanagar).—

Will the Government be pleased to state :—

(a) the date on which the estimate was sanctioned to supply electricity to street lights at Udigala in Chamarajanagar taluk :

(b) the date on which the work order was issued :

(c) if not, the action taken to issue work order and also to supply poles and other required materials to put up the line :

(d) the date on which the service may be given ?

A.—Sri H. K. VEERANNA GOWDH (Minister for Public Works and Electricity).—

(a) 4th December, 1959.

(b) Work order is not yet issued.

(c) The Village Panchayat Chairman, Udigala, was requested to execute necessary agreements and to arrange for completing the interior wiring of the installations, etc. He has not yet done so. The required materials for the work are being collected.

(d) As soon as the formalities under the rules are completed.

### CONSTRUCTION OF PICK-UPS ACROSS KUDURUHALLA NEAR HEBACHAHALLI IN CHAMARAJANAGAR TALUK.

Q.—86. Sri U. M. MADAPPA (Chamarajanagar).—

Will the Government be pleased to state :—

(a) whether the estimate is prepared to put up a pick-up across Kuduruhalla near Hebachahalli by the P. W. D., Chamarajanagar, or Investigation Circle, Mysore ;

(b) if not, the action taken by either of the Departments to prepare an estimate to put up pick-up at Hebachahalli ;

(c) if the estimate is prepared the action taken to accord sanction to it ?